

PRODUCT-DETAILS

KSB-401R

KSB-401R Signal Beacon



General Information

| | |
|-----------------------|--|
| Extended Product Type | KSB-401R |
| Product ID | 1SFA616080R4011 |
| EAN | 7320500202913 |
| Catalog Description | KSB-401R Signal Beacon |
| Long Description | KSB-401R Light Element For filament bulb Ba 15d 52mm Red Permanent light |

Ordering

| | |
|------------------------|---------------|
| E-Number (Finland) | 2313760 |
| E-Number (Sweden) | 5378396 |
| EAN | 7320500202913 |
| Minimum Order Quantity | 1 piece |
| Customs Tariff Number | 85369001 |

Dimensions

| | |
|----------------------------|---------|
| Product Net Width | 0.075 m |
| Product Net Height | 0.075 m |
| Product Net Depth / Length | 0.097 m |
| Product Net Weight | 0.13 kg |

Container Information

| | |
|--------------------------------|---------------|
| Package Level 1 Units | box 1 piece |
| Package Level 1 Width | 0.1 m |
| Package Level 1 Height | 0.075 m |
| Package Level 1 Depth / Length | 0.08 m |
| Package Level 1 Gross Weight | 0.13 kg |
| Package Level 1 EAN | 7320500202913 |

Environmental

| | |
|-------------|--|
| RoHS Status | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
|-------------|--|

Additional Information

| | |
|--|---|
| Accessory Type | Signal towers and beacons |
| Color | Red |
| Degree of Protection | Front IP65 |
| Function | Permanent light |
| Lamp Type | For filament bulb Ba 15d 52mm |
| Product Main Type | KSB |
| Product Name | Signal Beacon |
| Product Range | Not applicable |
| Product Type | KSB |
| Rated Control Supply Voltage (U _s) | 12-240 V AC/DC |
| Rated Frequency (f) | 50 / 60 Hz |
| Rated Operational Voltage | 12 ... 240 V AC/DC |
| RoHS Date | 06.01.01 |
| Upper Button Text | DAUERLEUCHTE KSB-401R ROT 12-240V AC / DC |

Certificates and Declarations (Document Number)

| | |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 1SFC151007C02__ |
| Declaration of Conformity - CE | 2CMT2015-005456 |
| Environmental Information | 1SFC151006D0201 |
| Instructions and Manuals | 1SFC151011M0201 |
| RoHS Information | 2CMT2015-005456 |

Classifications

| | |
|----------------------------|--|
| ETIM 4 | EC002024 - Accessories for control circuit devices |
| ETIM 5 | EC002024 - Accessories for control circuit devices |
| ETIM 6 | EC001042 - Signal tower complete |
| ETIM 7 | EC001334 - Continuous luminaire |
| Object Classification Code | P |
| UNSPSC | 39120000 |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |
| eClass | V11.0 : 27143210 |

Categories

Low Voltage Products and Systems → Control Products → Pilot Devices → Signal Towers and Beacons

